62

SEED CATALOG

1958

ROSWELL
LIBRARY
RECEIVED
A JAN 29 1958 A
U. S. Department of Agriculture

Company

115-117 South Main P.O. Box 725
Phone MA 2-7701
Roswell, New Mexico

Established 1900

INDEX

GARDEN SEED PRICE LIST-Pages 13, 14, 15, 16

FLOWER SEED	Page	DI ANIMINIO CILADIII	Page
LAWN SEED	16	PLANTING CHARTWHAT TO PLANT AND WHEN	29 28
	VEGETAB	LE SEEDS	
	Page		Page
Asparagus	1 460	Melons, Water	7
Beans	1-2	Onions	8
Beets	2	Okra	8
Cabbage	3	Parsley	
Cauliflower	3	Parsnip	
Carrots	3-4	Peas	
Celery	4	Pepper	
Collards	4	Pumpkins	
Cucumbers		Radishes	10
Corn-Sweet and Garden	5	Rhubarb	10
Dill	5	Salsify	
Egg Plant	5	Spinach	10-11
Kale	5	Squash	11
Lettuce	6	Swiss Chard	2
Mustard	6	Tomatoes	11-12
Mustard Melons, Cantaloupe	6-7	Turnips	12
	FIELD	SEEDS	
Alfalfa	Page	Millets	Page
Alialia	177	Oats	19
Clover	1/		
Barley Corn	17.10	Peas	19
		Pop Corn	19
Cotton	10.10	Rye	10.00
Grass	18-19	Sorghum Grains	19-20 20
	MISCELL		
Antino	Page	Inoculants	Page
Activo Beekeeper's Supplies Brush Killer Chemicals, Horticultural	40 0F	Inocuidits	24
David Killer	20	Insecticides Livestock Remedies	22-23
Chamicala Harticultural	99	Peat Moss	27
Dusters	23	Peat Human	26
Feed	27	Peat Humus	20
Fungicides	00.00	Poultry Remedies	27
Fly Killer	22-23	Poultry SuppliesRodent Controls	27
Fortilizana	200	Seed Disinfectants	20
FertilizersGarden Tools	20-27	Seed Disinfectants	24
Garden Tractors	40 0F	Seeders	25
Grain Fumigants	20	Sprayers Vermiculite	21
Hotkaps	25	Wood Villors	26
Poultry Feeders & Fountain	20	Weed Killers	24
rounty reeders & rountain	ISZ/		

EQUIPMENT AND EXPERIENCE

Six different machines are operating to process and treat our seeds.

There are over 134 accumulated years of experience back of the

ROSWELL SEED COMPANY

This equipment and experience is also available for custom processing.

The ROSWELL SEED COMPANY warrants that seeds or bulbs sold are as described on the container within recognized tolerances. No other or further warranty, expressed or implied, can be given with seeds. Our liability in all instances, is limited to the purchase price of the seed.

Vegetable Seeds in Bulk

ASPARAGUS

Mary Washington—Desired for its rapid growing, deep green, large spears of splendid quality. Tender when large, rust resistant.

Paradise—The thick stem sort. Possibly the heaviest producer and fastest grower.

BEANS—Bush Varieties

Improved Burpee Stringless Green Pod (53 days)—Green pod about 6 inches long, nearly round, slightly curved and fiberless. For quality this is the outstanding string bean in the Pecos Valley. Plants are bushy and productive. Raised in the home or market garden for canning and freezing.

Tendergreen (54 days)—Favored by some and is a general purpose bean of good quality. Pods are light green, meaty and stringless, also round and straight. Plants are erect and productive. Used extensively by truckers and canners.

Giant Stringless Green Pod (53 days)—Green pods, stringless and brittle with marked indentations between the beans. Preferred by some for late planting.

Improved Pencil Pod Black Wax (55 days)—Pods are yellow, round, about 7 inches long and stringless. The leading yellow podded string bean of our locality. Plants are vigorous and productive.

Top Notch Golden Wax (52 days)—The latest improvement in the Golden Wax type, the best yielder. Flat-oval yellow pods for the home market.

BEANS—Running Varieties

Kentucky Wonder (65 days)—The fine flavor of this bean makes it the favorite of the pole varieties. The green pods are about 9 inches long, grow in clusters, are curved and indented, meaty and brittle but do have strings. A hardy climber that is productive until late in the season. Will produce under some conditions of the Pecos Valley where others will not live.

McCaslan (65 days)—Similar to Kentucky Wonder except the seeds are white. Pods 8 inches long, flat and medium green. A good bean for the market, can be used as snap or dry beans.

LIMA BEANS

Burpee's Improved (75 days)—Pods grow in clusters averaging 4 seeds each. Recommended for freezing. Plants are very productive, large, erect, bush type.

Henderson's Bush (66 days)—This is the baby lima of the bush type which is often grown for a dry bean. Flat pods contain 3 to 4 flat beans. Excellent quality and good canner. Plants are about 18 in. tall, early and dark green.

Fordhook Bush Lima (75 days)—The large potato lima type. 4 in. pods are broad and contain 3 to 4 thick beans of highest quality. Large erect plants produce very heavy in the Pecos Valley. Grown in the market garden for shipping, highly recommended for freezing.

LIMA BEANS (Continued)

Jackson Wonder (65 days)—A pinto or calico bean of the baby lima type. Strongly flavored beans, are used for snaps or dry shelled. Plants are small and spreading. Very productive and drought resistant, well adapted to the Pecos Valley.

King of the Garden (88 days)—The most popular large pole lima. A vigorous climber and heavy producer. Broad, straight pods contain 4 to 6 large oval white beans.

Sieva (77 days)—The small lima of the climbers, known in the South as Carolina Small White or Butter Bean, Heavy yielder that bears over a long season.

Florida Butter Speckled (88 days)—A climber, small bean, commonly grown in the South. Adapts itself to accerse seasonal conditions very readily. Used either in the green shelled or dry stage. Pod3 grow in clusters, usually three beans to a pod.

Giant Butter Speckled '90 days)—Large flat speckled seeds. Pods 4½ inches long and an inch wide. Vigorous climber, vines become 10 feet long.

BEETS

Will stand light frost. Begin planting late in March, continue planting for succession until early September using six pounds seed per acre.

Detroit Dark Red (60 days)—Our !eader for early or late planting in the home or market garden. Good shipper or canner. Dark color, does not show zones. Globe shaped with small collar and tap root. Top is short, beets are uniform and smooth.

Detroit Dark Red Perfected (60 days)—Similar to the above, but with darker red flesh and taller top. One of the best for canning.

Eclipse (65 days)—Medium sized, flattened globe-shaped roots. Bright red flesh with whitish zones.

Early Blood Turnip (50-55 days)—The old standard that is well adapted to the Pecos Valley, slightly flattened roots, flesh purplish-red with zones of lighter shade.

Early Wonder Improved (58 days)—Very desirable for home or market. Flattened globe, purplish-red roots with small collar and tap root. Medium dark green tops.

STOCK BEETS—(Mangel Wurzel)

Mammoth Long Red (110 days)—One of the heaviest yielders that grows about half out of the ground. Light red, extremely large, long, slightly tapered roots. White flesh with rose tinge. Easy to harvest. Adapted to alkaline soils.

Golden Tankard (102 days)—Nearly cylindrical, growing partly above ground. Skin deep orange-yellow, flesh yellow with white zones. Productive and sweet.

Giant Half Sugar Rose (90 days)—White flesh, high in sugar content. Valuable for feeding. Heavy yielding; long oval white roots, rose colored at shoulder.

SWISS CHARD or SPINACH BEET

A member of the beet family which is grown for the top only. Green part of leaf used like other greens, stems used in salads.

Fordhook Giant (60 days)—Leaves are dark green, broad and upright, savoyed with broad white midrib. Our outstanding variety.

CABBAGE

For early, sow seed in hot beds in December or January, reset in open in February or March. For late planting sow seed in open beds and transplant. One ounce of seed produces about 2000 plants. Ten to fifteen thousand plants per acre.

Golden Acre (62-64 days)—Our leading early variety. Medium size, hard, uniform heads. Plants small, heads round, stems short, small outer leaves allow close planting. Stands a long time without bursting. Favored by truckers for early market.

Copenhagen Market (68-70 days)—An old dependable in the Pecos Valley for early market and shipping. Round heads, solid and of superior quality. Short stem.

Marion Market (78 days)—Resistant to yellows, developed from Copenhagen Market but later maturing and slightly larger. Heads are about 7 inches in diameter, round, firm and of good quality. Will produce on yellows infested soil where non-resistant strains fail.

Early Jersey Wakefield (62-64 days)—Cone shaped extra early, compact heads are five inches thick and seven inches long weighing $2\frac{1}{2}$ lbs. Leaf is dark green, stem is short.

Evergreen Hollander (90 to 100 days)—One of the most popular main crops in the mountain districts. A solid medium size head from 5 to 7 lbs. Outer leaves retain green color well and protect for long distance shipping. Heavy yielder.

Ferry's Hollander (105 days)—One of the best late varieties for high altitude. Solid spherical heads, $6\frac{1}{2}$ to 7 inches in diameter will weigh 6 to 7 lbs. Medium small, short stemmed, hardy plant. Excellent quality. Keeps well in storage.

Danish Ballhead (100 days)—Solid, large, flattened globe shaped head that keeps well in storage. Short stem and medium sized plant. Does extra well in the mountain sections.

Red Rock (100 days)—Forms a round, dark red, solid head about 8 inches in diameter. The quality is excellent and it keeps well in storage.

CHINESE CABBAGE

Plant in fall for best results, does fine on muck land. Spring plantings bolt to seed. Does not transplant well. Heads can be stored for about two months.

Chihili (70 days)—Outside leaves dark green, inside creamy white of fine quality. Crisp, tender, sweet heads are 18-20 inches tall and $3\frac{1}{2}$ to 4 inches thick.

CAULIFLOWER

One ounce produces 3000 plants, 6 to 8 ounces per acre. The cultivation is similar to that of cabbage. Leaves must be gathered and tied about the head to protect from the sun to facilitate bleaching.

Early Danish Snowball (30 to 35 days from seed to plant, 60 days from setting of plant to maturity)—An all purpose variety for both home and market garden. Has long been our leading variety.

CARROTS

May be planted as early as February and as late as August 15th, difficult to obtain a stand in mid-summer. Do not allow water to cover seed beds in tight soil. Excellent yields and quality produced in the Southwest. Plant 2 to 3 lbs. seed per acre.

Chantenay (73 days)—A splendid all purpose heavy yielder. $5\frac{1}{2}$ to 6 inches long, $2\frac{1}{4}$ inches thick at the top. Stump rooted; flesh deep orange.

CARROTS (Continued)

CHANTENAY LONG TYPE (72 days)—A dependable producer of the long coreless type. Developed for soils that have high moisture table. Good shipper, bunch or bulk.

IMPERATOR (77 days)—Long cylindrical and well stump rooted which makes it a popular bunching variety. Deep orange, excellent quality, measures 8x2 inches.

CHANTENAY RED CORED (72 days)—Improved over Chantenay in color, texture and flesh. Deep reddish-orange; about 6 inches long, 2½ inches at the shoulder. Stump rooted.

NANTES HALF LONG, SCARLET (68 days)—Desirable for home garden and early market, 6-7 inches long, 1¼ inches thick. Small top, bright orange flesh of high quality.

DANVER'S HALF LONG (75 days)—Still a favorite with many, 6 inches long, 2 inches thick at the shoulder. Orange roots, blunt tip and broad shoulder.

OXHEART or GUERANDE (72 days)—Roots are heart shaped and scarlet-orange. Desirable for field culture and heavy soil. Good keeper, often used for stock feed.

CELERY

The Roswell District has long been noted for a superior quality of celery, especially in flavor. The production should not be undertaken on a large scale by someone who is not experienced. Seed should be sown in April and plants reset in July. Must be bleached with boards, paper or earth. One ounce produces 10,000 plants.

GOLDEN PLUME or WONDERFUL (115-120 days)—Blanches readily to a golden yellow. Crisp with excellent flavor. Heavy producer, about 24-26 inches tall.

WHITE PLUME (115 days)—A first early, solid and crisp. Foliage green tinted white but both foliage and stalks will blanch readily to snowy white. Medium sized.

TALL UTAH (125 days)—Quality placed it among leaders of the green type of main crop. Stocky plants are full hearted and compact. Full rounded, solid, thick stems.

EASY BLANCHING (125 days)—A very good green variety, second early. Vigorous and compact, blanches easily. White, thick, nutty-flavored stalks will keep well.

CUCUMBERS

Do not plant until warm weather. Plant again in July for late pickles. Plant in hills 4 feet each way, one ounce of seed to 50 hills.

STRAIGHT 8 (66) days)—Straight about 8 inches long and 2 inches thick. Deep green rounded at ends. A favorite with commercial growers, it is uniform and attractive.

IMPROVED LONG GREEN (70 days)—10-12 inches long, about 3 inches thick. Preferred in the home garden, since it is for general table use. Prolific, a good seller.

CHICAGO PICKLING (60 days)—One of the best for pickling. Medium green, $6\frac{1}{2}$ inches long, $2\frac{1}{4}$ inches thick. Very prolific, warted and ribbed at pickling sizes.

COLLARDS

A member of the cabbage family, but non-heading, used for greens. Cultivated the same as cabbage.

GEORGIA or SOUTHERN (75 days)—The most popular variety. Vigorous plants withstand heat and adverse soil conditions. Plants 2-3 ft. tall, form loose clusters of tender leaves.

SWEET CORN

GOLDEN CROSS BANTAM (88-90 days)—Our leading hybrid. Developed by Purdue University. Well proven in the Pecos Valley after sixteen years of use. Adapted to varied conditions and resistant to disease. Sturdy straight stalks are 6 ft. tall. Uniform ears, 8 inches long, have 10-14 rows. Plant thinly, the suckers will make ears. Medium sized sweet kernels are a rich yellow. Good shuck coverage.

STOWELL'S EVERGREEN (95 days)—Deep, white, sweet, tender kernels; 14-20 rowed. A standard late variety that sells or cans well.

GOLDEN BANTAM (79 days)—Still the old favorite with many home and market gardeners. Ears 7 inches long with 8 rows of delicious kernels. One of the sweetest of all corns and of best quality. Not as worm resistant as Golden Cross Bantam.

COUNTRY GENTLEMAN (100 days)—Sweet, white, tender kernels, are irregularly placed on the ears that average 7 inches long and about 2 inches in diameter. One of the richest flavored of all the late varieties.

GARDEN CORN

TRUCKER'S FAVORITE (83-85 days)—Resistant to ear worms which means much to the Pecos Valley where this corn has become popular during the past seventeen years. Good flavored and remains in roasting ear stage for long time, also used as an early dried corn. Stalks are 8-9 feet tall, usually bearing two ears which are 8-9½ inches long and carry 10-16 rows of tender kernels, moderately sweet.

HICKORY KING (95 days)—A field corn that has been used for many years in the Pecos Valley for roasting ears. Will not stand long in roasting ear stage. One of the best for meal. 8 rowed, very large flat kernels and small cob.

DILL

LONG ISLAND MAMMOTH—Plants are 2-2½ feet tall with leaves cut into thread-like divisions. Flat seeds have strong, bitter flavor. The stem and sometimes the seed are used for flavoring, especially in pickles.

EGG PLANT

Sow in hot beds in spring, set in open field when nights are warm. Requires rich soil. One ounce produces 1,500 plants. Excellent quality can be produced in the Pecos Valley.

BLACK BEAUTY (80 days)—A prolific early variety. The thrifty plants grow 24-30 inches tall and produce 4-6 large, dark purple fruit that hold well after picking.

NEW YORK PURPLE SPINELESS (83 days)—The spreading plants are 30-36 inches tall and bear 4-5 smooth, oval deep purple fruits that are slightly larger than Black Beauty.

KALE

DWARF SIBERIAN (60-65 days)—A hardy, productive variety with bluish green foliage that grows rapidly and is slow running to seed in the spring. Not so curly as the Scotch type.

TALL SCOTCH (75 days)—Very hardy, upright plants, 30 inches tall. Numerous large deep yellowish green, finely curled leaves. Both of these varieties can be planted in the spring or fall. The quality is improved by frost.

ESTABLISHED 1900

LETTUCE

Sow seed in November for earliest spring heading. Sow again very early in the spring. Will stand frost. In mountain districts head lettuce may be sown last of July for fall crops. This crop will bolt to seed stems and tip burn in hot weather.

PREMIER GREAT LAKES (74 days)—Will produce a large percent of perfect heads, slow bolting. Dark green outer leaves are well folded over the large, uniform, compact heads. Developed by Pennsylvania State College.

IMPERIAL 847 (83 days)—A medium sized head that has become well known for its resistance to brown blight and hot weather. Leaves are smooth and thick. Heads are firm and well folded.

LOS ANGELES, NEW YORK or WONDERFUL (80 days)—Large, sweet, crisp heads that are tightly folded. Now largely supplanted by the Imperial strains.

LOS ANGELES No. 12 (77 days)—This early sure heading strain will stand more warm weather than the above. Exposed heads are light green, the leaves are thin.

ICEBERG (84 days)—Heads compact, crumpled, crisp and white interior. Edges of green leaves are tinged with reddish brown. Desired by mountain growers.

EARLY CURLED SIMPSON (45 days)—Non-heading, forms compact bunch. Light green, tender and sweet. Hardy and dependable. White seed,

BLACK SEEDED SIMPSON (46 days)—One of the most popular of the loose leaf varieties. Broad leaves much blistered and excessively frilled. Stands well without seeding.

MUSTARD

Sow early in the spring, also again in the fall. One ounce to 50 ft. drill. Will produce tender succulent leaves in 4 to 5 weeks from time of sowing.

GIANT SOUTHERN CURLED—The most popular in the Pecos Valley. Hardy, wide, bright green leaves with curly edges. Plants are quite upright, slightly spreading.

LARGE SMOOTH LEAF—Vigorous, large, deep green, broad-oval leaves which are plain except for the toothed margin.

MUSTARD SPINACH or TENDERGREEN—Leaves oblong, broad, fairly smooth. Heat and drought resistant, slow to seed. Combines flavor of mustard and spinach.

MELONS — CANTALOUPES

The Pecos Valley always produces some of the best, both for flavor and size. Plant after danger of frost, in hills 8 by 8 ft. One ounce to 50 hills. Planting seed under HOTKAPS in the field will produce marketable melons two or three weeks earlier.

HALES BEST (80 days)—We offer special select seed in this variety. One of the first on the market. Salmon flesh of excellent flavor and quality. A good shipper with the best seller on the local market. Fruits oval, 6½ by 5½ inches, covered with heavy netting, indistinct ribbing.

HALES BEST No. 36 (80 days)—Quality and flavor much the same as Hales Best. Shape is nearly round and ribbing almost eliminated. Fruits are smaller and more uniform than Hales Best. The seed cavity is small.

HALES BEST No. 45 (88 days)—Powdery mildew resistant. Will stand long distance shipping without deterioration after it has been picked at full slip ripened stage, therefore, it is considered our best shipper.

MELONS (Continued)

HALES BEST JUMBO STRAIN (83 days)—A large fruited strain of this leading variety for local markets. Fruits oval, 5 to 6 lbs., ribbing somewhat prominent, heavily netted. Seed pocket rather large. Orange flesh is sweet and of good quality.

ROCKY FORD (92 days)—A small green-fleshed melon. Spicy, juicy and of excellent flavor. Still used widely for home gardens. Small fruit, about 2½ lbs. nearly round.

TEXAS No. 1 (90 days)—Developed by Texas Experiment Station for resistance to aphids and downey mildew. $5\frac{1}{2}$ inches long by 5 inches, moderately netted. Firm, sweet, salmon colored flesh.

BANANA (98 days)—Resembles a huge banana in shape, 14-20 inches long. Flesh is pronounced salmon with somewhat of a banana-like flavor. Keeps well in storage.

HONEY DEW, GREEN FLESHED (115 days)—Large oval melons are almost smooth. Thick flesh is pale green, juicy and sweet. Keeps well in storage, good shipping melon.

WATERMELONS

Plant after the danger of frost in hills 8 by 8 ft. About 2 lbs. of seed to each acre. The earliest melons can be produced by planting under HOTKAPS.

KLECKLEY SWEET No. 6 (85 days)—The wilt resistant strain of our old standard for local market. One of the best sellers of the cylindrical shape. Flesh bright red, crisp and extremely sweet. Dark green rind that is too tender and thin for shipping.

IMPROVED KLECKLEY SWEET or WONDERMELON (88 days)—An improved strain of Kleckley Sweet being more full at either end. It is large, heavy, oblong, has a dark green skin and a thin rind. Scarlet meat and solid, sweet heart.

TEXAS BLACK DIAMOND (FLORIDA GIANT) (95 days)—Vigorous, productive vines. A nearly round, dark green melon with firm red flesh. Ships well, will weigh about 40 lbs. Specimens have been known to reach 120 lbs. This has been a popular, all purpose melon in the Southwest during the past fifteen years.

STRIPED KLONDIKE BLUE RIBBON (80 days)—Resistant to Fusarium Wilt. Irregular stripes on cylindrical melon with oval ends. Weighs about 20 lbs. Sweet, deep red, crisp flesh. Moderately tough rind makes it a good local shipper.

HALBERT HONEY (85 days)—Similar to Kleckley Sweet but somewhat larger. Fruits are cylindrical with blunt ends. Slightly ridged, dark green, lightly veined, rind very tender. Flesh bright red and exceptionally sweet.

IRISH GREY (95 days)—Tough rind makes it a good shipper. Oblong, light grey tinged with green. Flesh bright red and firm. Productive and a favorite with many.

KLONDIKE No. 7 (80 days)—Dark green oblong melon weighs about 25 lbs. Deep red flesh of excellent quality, thin but tough rind. Vigorous, prolific and resistant to Fusarium wilt. One of the most popular for local market and shipping.

BLACKLEE (85 days)—Cylindrical fruit of about 35 lbs. Dark green, thin but tough rind. Sweet, bright red flesh of good texture. Vigorous vines are resistant to Fusarium wilt. Very well liked after eleven years use in our locality.

GOLDEN HONEY (85 days)—Flesh is amber-yellow, seeds are brown. Medium sized melon, nearly round, light green with dark green stripes. Flesh chunky.

TENDERSWEET (75-80 days)—Golden yellow flesh, cylindrical shape, dark green rind with light green stripes. These weigh 30-35 lbs. and ship well.

ONIONS

The quality and yield of onions produced in the Pecos Valley is among the best. Sow seed in the open in September, transplant in February or March. Or, plant in hotbed in January, transplant in March and April. Or, the seed may be drilled in the open field in February and thinned when the plants reach the size of a pencil, labor costs make this method very popular. Use 90,000 to 120,000 plants per acre in double rows or $2\frac{1}{2}$ to 3 lbs of seed.

YELLOW SWEET SPANISH, UTAH JUMBO (114 days)—This has produced our best yields and best quality, ships, keeps and sells well. Deep amber skin, globular with small neck. Among the largest with white, sweet flesh.

WHITE VALENCIA (114 days)—The largest of the globular, white varieties. Flesh is clear white, firm and mild. Small neck.

GRANO (90 days)—Top shaped, straw colored skin, white flesh. Good keeper. Extra early, good flavor and sweet. Developed in New Mexico, known to some as Babosa.

WHITE GRANO — The same as the Grano except that the skin color is white and in some soils it will not obtain the full size.

CRYSTAL WAX (BERMUDA CRYSTAL WHITE WAX) (90-95 days)—Early, white, flat, mild bulb. Medium in size, not suitable for storage.

WHITE LISBON—Grown exclusively for an early bunching onion. If allowed to bulb, it will make a very thick neck. Juicy, crisp, mild, clear white flesh.

ONION SETS—Used mainly to produce early green onions. White and yellow offered.

OKRA

Sow seed thinly in warm soil, in drills about 2 ft. apart. Thin out to 9 inches in the row. One and one-half ounces will plant 100 feet of drill.

DWARF GREEN LONG POD (50 days)—Pods are from 5 to 7 inches long, dark green, fluted and pointed. Plant is dwarf, about three feet high. Sets pods early and bears until late.

WHITE VELVET (60 days)—Pods are about 6 inches long, round and smooth. Velvety white, excellent flavor and tender. Branching and prolific plants are 5 ft. tall.

CLEMSON SPINELESS (50-55 days)—An improved strain of the long green pod type. Pods do not have prickly spines, will develop to 9 inches long by 1½ inches in diameter, straight ridged and tapered near the tip. Plants grow about 5 ft. tall.

PARSLEY

Used for flavoring and garnishing. Does best in rich soil. One ounce of seed sows 150 ft. of drill.

DOUBLE MOSS CURLED (70 days)—A thrifty, compact plant. Attractive, deep green foliage. One of the best for market or home garden.

PARSNIPS

Sow seed in February in loose, rich soil. May be left in ground and dug as wanted. They are improved by frost. One ounce of seed sows 200 ft. of drill.

HOLLOW CROWN (95 days)—Roots are white smooth and of excellent flavor, 12-14 inches long, about 3 inches thick at the shoulder with a deep, hollow crown.

PEAS

Plant February 15th to April 15th in drills 12 to 18 inches apart, one pound of seed to 50 feet. Must be planted early, will not stand summer heat of the Pecos Valley.

ALASKA (60 days)—An early smooth variety. Will only mature one crop. Plants are about 28 inches tall and pods are 2% inches long.

BLISS EVERBEARING (76 days)—Dark green, thrifty vines about 30 inches tall. 4 to 5 light green peas in a straight pod. This pea has a long bearing period and has done well in the mountain sections.

DWARF TELEPHONE (75 days)—Stocky, light green plant about 25 inches tall. Light green pods contain 8 to 10 peas of good quality. Resistant to wilt. Good for home gardening and shipping.

LITTLE MARVEL (62 days)—One of our most dependable for many years. Thrifty plants are 18-20 inches tall. Dark green, plump, straight pods contain 7-8 good quality peas. The quality and productiveness is unsurpassed.

NOTT'S EXCELSIOR (62 days)—An excellent early variety and heavy yielder. Dark green plants, 16 inches tall with slender pods 3 inches long containing 6-7 medium sized peas. A favorite with many in the Pecos Valley, also good in the mountains.

THOMAS LAXTON (62 days)—One of the most popular heavy yielders. Plants are about three feet tall. Pods 4 inches long, well filled and square ended. Among the best for quality. Excellent for canning, shipping and freezing.

TALL TELEPHONE (75 days)—Vines are 60 in. tall. Pods are 5 in. long, plump and borne singly. Large light green seeds are wrinkled. Wilt resistant.

PEPPER

Plant the seed in hills two feet apart in the open field after danger of frost. Or plants are often raised in hotbeds and transplanted after nights are warm. One ounce produces 2000 plants.

CALIFORNIA WONDER (72 days)—By far the most popular of the sweet varieties. Good for shipping or local use. Pods are green, 4 lobed, very thick, heavy and smooth, $4\frac{1}{2}$ inches long by $3\frac{1}{2}$ inches through. Sweet distinct flavor.

PIMIENTO (73 days)—Plants are large, erect. Fruits are sweet, heart-shaped, very smooth; color is dark green, changing to bright crimson. Very thick flesh.

ANAHEIM CHILI (73 days)—Good for canning and drying, also, the best seller when green. Pod is longer and milder than the more pungent varieties but definitely a hot pepper. Deep green pods change to bright scarlet. The dependable leading chili for many years.

HUNGARIAN WAX (61-65 days)—Very hot, early and productive. The green pods turn to light yellow when young, red when ripe and become 5 to 6 inches long.

COLLEGE No. 9 (75 days)—Developed in our own State. Grown by those who desire the most pungent. Similar to Anaheim, pods are shorter.

SMALL RED CHILI (82 days)—Pungent, conical pods; $1\frac{1}{2}$ by $\frac{1}{2}$ inch, deep red when ripe. Productive, spreading plants are about 18 in. tall.

PUMPKINS

Plant in hills 8 ft. each way after danger of frost. One ounce to 30 hills, two pounds per acre.

SMALL SUGAR OR PIE (108 days)—The leader for general use. Fruits are deep orange, round, flattened at ends, somewhat ribbed, 6 to 8 lbs. Good thick flesh.

PUMPKINS (continued)

KENTUCKY FIELD (120 days)—A heavy yielder for canning and stock feed. Large fruits, 10-15 lbs., odd shaped, creamy buff skin, yellow flesh, good quality, rather coarse.

GREEN STRIPED CUSHAW (112 days)—Crooknecked, 10-12 lbs. Skin is hard, thin, smooth, dull white with irregular green stripes. Flesh is medium coarse, yellow and thick

WHITE CUSHAW (110 days)—Smaller than the Green Striped, neck is straighter and shorter. Skin is nearly white.

RADISHES

Plant early in the spring, follow by succession every 15 days. One ounce to 50 ft.

CRIMSON GIANT (29 days)—Will stand well without becoming pithy. One of the most popular. Roots spherical to slightly top shaped, 1½ in. in diameter, deep scarlet.

SCARLET GLOBE SHORT TOP (21-23 days)—Good quality. Chosen by shippers for its short top. Elongated globe roots are bright scarlet. Flesh is crisp and white.

FRENCH BREAKFAST (25 days)—Roots are scarlet with white bottom, oblong and blunt. Excellent quality for general use, also suitable for forcing.

SPARKLER (26 days)—Roots are almost globe shaped, lower third is white, balance is a dull scarlet. Splendid quality until large. Small tops are desired by market gardeners.

CHERRY BELLE (23 days)—Used for hot-bed forcing also excellent for late spring or early fall planting. Short top, round, firm, dull scarlet and keeps well without becoming pithy. Popular among market growers.

WHITE ICICLE (27 days)—The best of the long white radishes. The roots are 4-5 inches long, slightly stumped, transparent-white and brittle. Excellent quality, mild flavor.

CHINA ROSE WINTER (52 days)—A distinct winter sort. Long cylindrical roots, thicker at lower end. Smooth, bright scarlet in color, flesh white, firm and pungent.

RHUBARB

Sow seed in spring, plants will be ready to re-plant the following fall or spring. Set plants 4 feet each way.

VICTORIA—The main crop sort. Vigorous, upright, thick, stalks of splendid red.

SALSIFY or OYSTER PLANT

MAMMOTH SANDWICH ISLAND—Long tapered, white roots, 6-8 inches long, $1\frac{1}{2}$ inches thick. Grows like a parsnip, needs deep soil. Plant in early spring, ready to use in November.

SPINACH

Sow in February and March and again in October for the earliest spring use. Will not do well in hot weather. One ounce to 50 feet, 8 lbs. per acre.

VIROFLAY (45 days)—The long, broad, pointed, thick smooth leaves make this spinach generally preferred when conditions will allow it to be planted. Blights and bolts to seed readily in warm weather. Easy to wash and a good spinach to can.

GIANT NOBEL (44 days)—Considered by many to be the best of the thick, smooth leaved sort. Large vigorous plant that is an enormous yielder. Slow to form seed. A good canner.

SPINACH (continued)

BLOOMSDALE (42 days)—Will stand well without bolting to seed, therefore used extensively for spring planting. Leaves intensely crumpled and blistered, dark green.

VIRGINIA BLIGHT RESISTANT (39 days)—Used principally in sections where blight occurs. Somewhat smoother than Bloomsdale, inclined to bolt to seed earlier.

NEW ZEALAND (70 days)—Distinctively removed from true spinach. Plants tall and spreading with numerous shoots. Leaves rather small and pointed. Grows well in hot weather and under adverse conditions.

SQUASH

Plant when danger of frost is past, in hills 4 to 6 feet apart. One ounce of seed plants 40 hills.

EARLY WHITE BUSH (53 days)—Also known as patty pan. Plants are bush type. Fruits greenish white turning to white when matured. Flattened and smooth with scalloped edges.

GOLDEN SUMMER CROOKNECK (50 days)—Productive, bush type plant. Fruits are bright yellow and somewhat warted. Will become 12-14 inches long, edible at early stage.

GIANT SUMMER STRAIGHTNECK (55 days)—One of the best for shipping, since straightnecks pack well without breaking. Fruits are large and heavier than crookneck. Skin is warted and yellow. A very good seller.

ITALIAN OR ZUCCHINI (60 days)—Bush type plant. Fruits are grayish-green, straight and nearly cylindrical, will become large. In best edible condition when 6-8 inches long.

CASERTA (55-57 days)—Early, prolific, summer type. Glossy green fruit with interrupted dark stripes, 6-7 inches long by $1\frac{1}{2}$ inches thick. The quality is good and the yield has been extra high.

TABLE QUEEN (ACORN or DESMOINES) (80 days)—Of the winter type. Dark green, pointed fruits, $5\frac{1}{2}$ inches long and 4 inches thick. Light yellow flesh, bakes dry and sweet.

BANANA (105 days)—A winter trailing sort. About 2 ft. long, 6 inches in diameter with pointed end. A gray green color with irregular stripes. Flesh is sweet, solid, dry, yellow and fine grained. Excellent for pies or baking.

HUBBARD (100 days)—A standard winter squash. Fruits 9 to 10 inches through. Globular, dark bronze green, very hard warted shell. Flesh is thick yellow, fine grained and of excellent quality.

TOMATOES

Sow seed in hotbeds and re-set plants after danger of frost, or sow in open when weather is warm and thin to stand. Plants should be set or thinned to 4 ft. each way.

One ounce will produce 2000 plants or 8 oz. will plant an acre. Planting seed in field is the most successful method in the Pecos Valley where tomatoes produce an extra good quality and yield. Planting under HOTKAPS has produced fruits three weeks earlier.

IMPROVED MARGLOBE (77 days)—For many years this has been a heavy producing tomato, well adapted to the Pecos Valley. Large, red fruits, smooth, globular with thick cell walls. Holds well in white ripe stage for shipping, also, an excellent canner. This plant is resistant to wilt and rust.

BONNY BEST (70 days)—A second early, bright scarlet, smooth and uniform. The best canner where the season is too short for Marglobe to produce heavy.

TOWATOES (continued)

RUTGERS (73-83)—Bred from Marglobe and J.T.D., it combines disease resistance of Marglobe with J.T.D.'s habit of ripening from the interior outward. Coarser foliage than Marglobe and flatter at the stem, an all purpose variety of wide adaptation. A leader for quality and yield in the Roswell area.

BREAK O'DAY (70 days)—Resembles Marglobe in shape, size and disease resistant qualities but not so productive. Open plant. Fruits scarlet, meaty and solid.

PRITCHARD or SCARLET TOPPER (75 days)—Wilt resistant, heavy producer of good quality. Fruits are slightly globular, solid and medium sized, scarlet and well colored about the stem.

PONDEROSA or BEEF STEAK (90 days)—A large purplish-pink, somewhat rough, heavy, and almost seedless fruit. Extra good for slicing. Bears well until late.

EARLIANA (66 days)—Our earliest tomato. Fruits are medium sized, flattened, firm, quite smooth and bright red. Open plants produce clusters in center. Do not use on diseased soils.

IMPROVED PEARSON (85 days)—A good canner and heavy producer in some sections. Fruits are bright red, semi-globe, large and smooth.

GOLDEN QUEEN (85 days)—Golden yellow fruit with mild flavor, medium large, smooth and rather solid. Used in home gardens and for commercial juice.

SMALL FRUITED VARIETIES (73 days)—Both pear and plum shaped in both yellow and red. Prolific and show disease resistance. These are used mainly for preserves, pickles and pies.

TURNIPS

Plant in spring or fall, either in drills or broadcast. One ounce to 100 ft. of drill. Two pounds per acre broadcast. One pound per acre drilled.

PURPLE TOP WHITE GLOBE (56 days)—The most popular main crop for both home use and shipping. Roots are purple above ground and white below. White fine grained flesh.

AMBER GLOBE (75-80 days)—Our most popular yellow variety. Skin and flesh are yellow. Fine grained, sweet and of good quality. Larger than Purple Top.

SHOGOIN (42 days)—Our earliest and best variety for both greens and roots. Tops are 18-20 in. tall, erect, bright green, strap leaves. Roots are medium small, white throughout, semi-globe, sweet and mild. Plant is louse resistant and thrives in hot dry weather.

AMERICAN YELLOW PURPLE TOP RUTABAGA (90 days)—Large globular roots with small neck and slight tap roots. Yellow with purple top. Fine grained, firm, crisp and sweet. Milder and sweeter when grown in the mountain districts.

FOR AIDS TO THE GARDENER

SEE-

Planting Charts	Inside	the Back Cover
Garden Tools		on page 25
Seed Treatments		on page 24
Hot Kaps		on page 25
Fertilizers	on	pages 26 & 27
Insecticides	on	pages 22 & 23
Sprayers		on page 23

Garden Seed Price List

ASPARAGUS	Pkt.	½ oz.	1 oz.	¼ lb.	1 lb	10 lbs.
Mary Washington	1	.15	25	75	2.25	10 105.
Paradise	.10	25	40	1.20		
BEANS						***************************************
Improved Burpee Stringless Green Pod	_			15		3.50
Tendergreen				15	55	
Giant Stringless Green Pod	-		1 615	15	55	3.70
Improved Pencil Pod Black Wax				15	55	
Top Notch Golden Wax				20		
Kentucky Wonder		-		15	55	
McCaslan				15	55	
LIMA REANS	1 1					
Burpee's Improved				15	55	3.90
Henderson's Bush Fordhook Bush Lima		***************************************	***************************************	15	55	
Fordhook Bush Lima			2.	13	ລາ	
Jackson wonder	1	1		15	50	
King of the Garden	***************************************			15	55	
King of the Garden Sieva				15	55	
Florida Butter Speckled Giant Butter Speckled				15	55	
Giant Butter Speckled		-		15	55	
BEETS		ATTENDED OF THE PARTY OF T	***************************************			0.00
Detroit Dark Red		10	15	45	1 40	_12.60
Detroit Dark Red Perfected	-	10	15	45		_13.05
Eclipse		10	15			_12.60
Early Blood Turnip		10	15			_12.60
Early Wonder Improved		10	15			_12.60
STOCK BEETS (Mangel Wurzel)	1 1			TU	1.70	-12.00
Mammoth Long Red Golden Tankard		10	15	45	1.25	11 95
Golden Tankard		10	15	45		11.25
Giant Half Sugar Rose		10	15	45		11.25
SWISS CHARD OF SPINACH REFT					1.20	11.20
Fordhook Giant	1	10	15	45	1.40	_12.60
CABBAGE	1 1	1		TU	1.70	_12.00
Golden Acre	1	35	60	1.80	5.40	10.60
Golden Acre Copenhagen Market Marion Market	-	35	60	1.80	5.40	_48.60
Marion Market		35	60	1.80		48.60
Early Jersey Wakefield		30	50	1.50		_40.50
Ferry's Hollander		30	50	1.50		
Ferry's Hollander Danish Ballhead				1.00	T.5U	
Red Rock	-	.30	.50	1.50	4.50	40.50
CHINESE CABBAGE	-			1.00	T.JU	40.00
Chihili		15	25	75	2.25	
CAULIFLOWER				10	4,20	
Early Danish Snowball	1 1	80	1.45	4.40	19 95	
CIPROWG	4 4		1.70		10.20	
Chantenay	1.	15	25	75	9 10	_18.90
Chantenay Long Type	-	15	25	75	2.10	10.90
Chantenay Long Type Imperator		15	25	75	2.40	20.25
Chantenay Red Cored	-	15		75		_20.25
Nantes, Half Long Scarlet		15	25	75	2.43	_20.25
Danver's Half Long		15	25		2.40	_20.25
Oxheart or Guerande	-	15	25	75	2.10	-18.90
OMICATOR GUCLARIUG	-		40		2.10	18.90

NOTICE: The ten pound prices are not prepaid. Other prices on this page are postpaid. We shall be pleased to quote special prices on larger amounts.

CELERY	Pkt.	½ oz.	1 oz.	¼ lb.	1 lb.	10 lbs.
Golden Plume						
White Plume	10	50	85	2.50	7.50	
Tall Utah		70	1.20		_10.50	
Easy Blanching	10	65	1.10	3.30	9.60	
CUCUMBERS						
Straight 8 Improved Long Green	~~~~~~	15	25	75		_20.25
Improved Long Green		15		75	2.25	
Chicago Pickling		15	25	70	2.10	_18.90
COLLARDS	·	40		4.0	4.00	
Georgia or Southern		10	T9	45	1.30	
SWEET CORN		1 (7)			co	4.60
Golden Cross Bantam				20	45	
Stowell's Evergreen Golden Bantam				15		
Country Gentleman				15		3.50 3.50
GARDEN CORN				15	40	3.30
Trucker's Favorite				10	90	9.45
Hickory King					00	4.40
DILL						
Long Island Mammoth		10	. 15	50	1.50	
EGG PLANT		10			1.50	
Black Beauty	10	50	90	2.70	8.00	
New York Purple Spineless		50	90		8.00	
KALE			00	2.10	0.00	
Dwarf Siberian	.10		.20	60	1.80	., .
Tall Scotch	10		25			
A ASSESSMENT CORN						
Premier Great Lakes	.10	30	- 55	1.60	4.75	42.75
Imperial 847	10	30			4.50	40.50
Los Angeles, New York or Wonderful	10		40	1.20	3.60	_40.50 _32.50
Los Angeles No. 12	10	25		1.20	3.60	32.50
Iceberg		15		70	2.10	18.90
Early Curled Simpson	10			60	1.80	_16.20 _16.20
Black Seeded Simpson :	10		.20	60	1.80	16.20
TATE OF A TOTAL						
HOSTARD Giant Southern Curled Large Smooth Leaf	-	10	15	.40	1.20	_10.80
Large Smooth Leaf			15	40	1.20	10.80
Mustard Spinach or Tendergreen MELONS — CANTALOUPES		10	15	40	1.20	_10.80
MELONS — CANTALOUPES						
Hales Best Original		15		75	2.25	_20.25
Hales Best No. 36		15	25	75	2.25	20.25
Hales Best No. 45		15	25	75 80	2.25	_20.25
Hales Best Jumbo Strain			25	80	2.35	_21.15
Rocky Ford Texas No. 1 Banana		15	25	80	2.40	_21.60
Texas No. 1		***************************************	and demonstrates on			- Statement of the Stat
Banana		15				21.60
Honey Dew, Green Fleshed		20	30	85	2.60	_23.40
WATERMELONS			-		0.11	1000
Kleckley Sweet No. 6		15				18.90
Improved Kleckley Sweet	***************************************	15				_18.90
Texas Black Diamond (Florida Giant)		15		.70	2.10	18.90
Striped Klondike Blue Ribbon		15				21.60
Halbert Honey Irish Grey		15	25	70	2.10	18.90
Irish Grey			25			20.25
Klondike No. 7 Blacklee		15	25	80	2.40	21.60
		15	25	75	2.25	20.25
Golden Honey	***********	15	25	/5	2.25	20.25
Tendersweet			25	08	2.40	21.60

NOTICE: The ten pound prices are not prepaid. Other prices on this page are post-paid. We shall be pleased to quote special prices on larger amounts.

LOTABLISH	LD 1700					
ONIONS Yellow Sweet Spanish, Utah Jumbo	Pkt	1/2 07	1.07	1/4 lb	1 lb	10 lb
Yellow Sweet Spanish IItah Jumbo	1 10	30	55	1 601	4 80	43 2
White Valencia	10	35	60	1.80	5 40	48.6
White Valencia Grano White Grano	10	35	.60	1.80	5.40	48.6
White Grano	10	35	.60			
Crystal Wax	.10	.25	40			
White Lisbon	.10	.35	60			47.2
OKRA						
Dwarf Green Long Pod	1	.10	15	45	1.30	11.7
White Velvet		10	15	.45	1.30	
Clemson Spineless		10	15	45		_11.7
DADCIEW						
Double Moss Curled	10	***************************************	20	60	1.80	-
DADGNIDG	1 1					
Hollow Crown PEAS Alaska Bliss Everbearing Dwarf Telephone Little Maryel		10	15	50	1.50	
PEAS And a place and the second of the secon		m . 1 . 1				
Alaska	1 1100		1.0325 - 3	15	40	
Bliss Everbearing				15	50	
Dwarf Telephone	3/19 3/18		777.77.	15		
THEORE WILL VCI				15	50	
Nott's Excelsior		mmunitary in the last	**************	15	50	
Thomas Laxton	Photogram	White manager state of		15	50	
Tall Telephone PEPPER California Wonder			**********	15	50	3.7
PEPPER CONTROL OF THE PROPERTY						
California Wonder					6.30	_56.7
Pimiento	10	40	75	2.25	6.75	
Anaheim Chili	10		75	2.25	6.75	
Hungarian Wax	10	40		2.30		
College No. 9	.10	40	75	2.30	6.90	
Pimiento Anaheim Chili Hungarian Wax College No. 9 Small Red Chili		45	80	2.40	7.10	1175
PHMPKINS						
Small Sugar or Pie	10	airmanataniberran	.20	60	1.80	-16.2
Kentucky Field		10	15	45	1.40	
Kentucky Field Green Striped Cushaw White Cushaw	.10	handan	20		1.80	
White Cushaw		15	25	70	2.10	18.9
KADISHES	1000			0.5	4 00	
Crimson Giant		10				
Scarlet Globe Short Top French Breakfast		10	15	35	1.05	9.4
French Breakfast		.10	15	40	1.15	_10.5
Sparkler		10				
Cherry Belle White Icicle		10	15	45	1.30	
White Icicle	-	.10	.15	40	1.15	
China Rose Winter		10	15	45	1.35	_12.1
China Rose Winter RHUBARB Victoria	to but	00	35	1.05	0.15	
Victoria	10	20	30	1.05	3.15	
SALSIRY				1.00	0.00	
Mammoth Sandwich Island	10	25	40	1.20	3.60	
SPINACH purity of the transport for	ori decale	m. lan	Ett de 10	25		0.5
Viroflay			10	25	75	6.7
Giant Nobel Bloomsdale			.10	25	75	
Bloomsdale		LHII	10		75	
Virginia Blight Resistant New Zealand		. 10	10	25	75	
New Zealand					1.00	
SQUASH Early White Bush	10	" But at"	00	- 05	1.00	48.
Early White Bush	10		20	65	1.95	
Colden Summer Crookneck			20	65	1.95	
Giant Summer Straightneck		15	25	75	2.20	19.8
Italian or Zucchini	- Company	15			2.25	_20.2
			25	75	2 20	19.8
Caserta		15			2.20	
Caserta		15	25	75	2.20	19.8
		15	.25	75	2.20 2.25	19.8

NOTICE: The ten pound prices are not prepaid. Other prices on this page are post-paid. We shall be pleased to quote special prices on larger amounts.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ESTABLISHED 1900

TOMATOES	Pkt.	½ oz.	1 oz.	¼ lb.	1 lb. 10 lbs.
Improved Marglobe	10	40	75	2.20	6.60 _59.40
Bonny Best	10	45	85	2.60	7.80 _70.20
Rutgers	10	30	55	1.65	4.95 44.55
Break O'Day	10	45	85	2.60	7.80 70.20
Pritchard or Scarlet Topper	10	45	85	2.60	7.80 70.20
Pondersosa or Beef Steak	10	50	95	2.90	8.70 _78.30
Earliana	10	45	85	2.60	7.80 _70.20
Improved Pearson	10	50	95	2.85	8.55 76.95
Golden Queen	10	45	85	2.60	7.80
Small Fruited Varieties	10	50	90	2.70	8.10
TURNIPS					
Purple Top White Globe		10	15	35	1.009.00
Amber Globe		10	15	40	1.20 10.80
Shogoin		10	15	40	1.2010.80
American Yellow Purple Top Rutabaga		10	15	40	1.20 _10.80

NOTICE: The ten pound prices are not prepaid, we shall be pleased to quote special prices on larger amounts. Other prices on this page are postpaid.

LAWN GRASS SEED

Kentucky Blue Grass—A semi-evergreen grass that does well in shade. Will not thrive in total sunny spots. Requires considerable water and does not spread. Dark green, medium fine blades. One of the best for shaded lawns. May be planted in cold weather, fall months preferred. Plantings in extreme hot weather are not satisfactory. Plant at least two pounds per thousand sq. ft. 1 lb. \$1.10; 10 lbs. \$9.90.

Bermuda Grass—Very hardy, in fact hard to kill if grown in the sun. Spreads by continuous runners that root at the joints. Will stand abuse and pasturing and partial but not total shade. Extensively used throughout the Southwest. Plant after May 1st and before August 15th. Use at least one pound per thousand sq. ft. 1 lb. 55c. 10 lbs. \$4.95; Hulled seed 85c lb. Extra Fancy.

U-3 Bermuda Grass — A new development that is similar to the above except it has finer blades, has very few seed stems and remains green over a longer period. 1 lb. \$4.50; 5 lbs. \$21.30.

Merion Blue Grass—A strain of Kentucky Blue Grass that is more resistant to drought and heat and spreads to form a turf. 1 lb. \$2.50; 10 lbs. \$22.50.

Perennial Ryegrass—A coarse bladed semi-evergreen grass that stools similar to the rye plant. Resembles Bluegrass when planted thick and kept mowed but will stand more heat and abuse. Plant at least 3 lbs. per 1000 sq. ft. 1 lb. 35c; 10 lbs. \$3.15.

Domestic Ryegrass—(Annual or short-lived perennial) A quick growing, hardy grass which appears and is planted the same as the perennial. 1 lb. 25c.

White Dutch Clover—A small close growing, dwarf clover that will produce a small white blossom. Rapid growing of spreading habit, will stand close cutting without injury. 1 lb. \$1.10; 10 lbs. \$9.90.

Dichondra Repens—A low, dark green creeping plant with small velvety leaves, forms a mat and chokes out weeds, it needs no mowing. Coated seeds, for quick germination are offered. Packet \$1.00; 1 lb. \$1.75.

Creeping Seaside Bent—Used extensively on golf greens. A light green, fine short blade. Makes a very thick turf. Requires heavy watering, thrives when cut close and makes a uniform smooth lawn. 1 lb. \$2.20.

Alta Fescue—A broad bladed, hardy evergreen grass, possibly the most tolerant of its type to drought and heat. Long lived and stands hard wear. 1 lb. 40c.

FIELD SEEDS

Adapted to the Southwest

ALFALFA

New Mexico Common—One of the first crops to be produced in the Pecos Valley, still most valuable for its ability to build soil and at the same time produce a cash crop of the best hay or seed. Usually produces its full values in a period of four years. Our best quality and highest yields of grain, cotton and vegetables will come from land that has grown alfalfa. We operate special machinery which enables us to offer this seed with the very highest germination and purity. Also, we are equipped to treat this seed in slurry of Arasan, Orthocide 75 or Dithane Z-78. Certified or non-certified seed will be offered with better than 99% purity and better than 95% germination. In the Pecos Valley, the choice time to plant is in the first twenty-five days of September. April is preferred for spring planting. Use 20 to 25 lbs. of seed per acre. An application of 60 lbs. available phosphate per acre will greatly increase the yield, often producing 5-7 tons of hay per acre in 5 cuttings. Seed yields will run from 150 to 600 lbs. per acre, depending upon weather and insects.

New Mexico 11-1—Green-bug resistant. Developed by New Mexico A. E. S. from four strains of New Mexico Common, one strain of Buffalo and one strain from Virginia. Proven to be a heavy yielder of excellent hay.

Lahontan—Highly resistant to spotted alfalfa aphid. Developed by U. S. Department of Agriculture at Reno, Nevada. Does not yield as heavy as either of the above.

CLOVER

Yellow Blossom Biennial Sweet Clover—An excellent soil building crop that will tolerate considerable alkali, heavy tap-root that will penetrate most hard-pan. Will make fair pasture, often mixed with grasses. Plant 15 lbs. per acre fall or spring.

Madrid Clover—A new variety of Yellow Blossom Biennial that matures slightly later and yields more. It shows early seedling vigor and resists fall frost in seedling year.

BARLEY

Arivat—A spring-type, six rowed, bearded barley with semi-smooth awns. It has stiff straw and matures early. Plant 70 to 100 lbs. per acre in February, March or early April to allow harvesting in July then follow with a planting of some early maturing sorghum grain. An average yield is 40 to 70 bushels per acre.

New Mexico Winter—Selected by our A. & M. College to fill a specific need on irrigated lands for a winter-hardy pasture and a heavy grain yielder, it is outstanding in both respects. Rough awned. Plant 70 to 100 lbs. per acre in August to make the most pasture. May be planted as late as December 15th to make grain.

Trebi—A well known barley that still gives good yields on the irrigated lands of the Southwest. Six rowed, beared, hulled and rough awned. Awns will thresh free from the grain. Trebi will mature grain when planted in the fall or spring.

CORN

Texas Hybrid No. 124—A prolific producer of soft corn, bred for the Southwest. Large deep yellow grain, small cob, good shuck coverage. Produces two good ears on rather tall stalk under favorable conditions. Similar to Texas 26, but has a stouter stalk. Matures in 118 days.

Texas 17-W—Mid-season white hybrid that is widely used for roasting ears. Tight set kernels also makes an excellent dry shelled corn. Prolific medium sized ear that has thorough shuck coverage and resists ear worms. Similar to 11-W, earlier, yields a little heavier, more drought resistant, stalks much heavier and shorter.

ESTABLISHED 1900

CORN (Continued)

Funk's G-711—A popular hybrid corn for the Southwest that resists drouth, insects and disease. Tall stalks with broad dark green leaves. Often two large ears to the stalk, long shuck coverage. Dark yellow, large broad kernels. Requires 120 days to mature.

Funk's G-16—An extra early hybrid for late planting or for short seasons of the high altitude. A high yielder of yellow, soft starchy grain, preferred by feeders. Fast starter and has an excellent record for standibility and insect resistance.

Mexican June—Dependable in the Southwest due to drouth and disease resistance, the tight heavy shucks protect against birds and worms. Stalks are extremely tall and some tests show the ensilage from this crop to be superior to that from sorghums. Extensive tests for milk production showed a 30% saving where corn ensilage was used. Plant in June with seven pounds of seed per acre.

Strawberry or Calico—An all purpose, and heavy yielder. Kernels are soft and most are striped with red, white and yellow. Large ears, stalks medium to large. Will mature in about 120 days.

COTTON

Acala 1517-BR—The blight resistant strain from 1517-C which became famous for producing one of the best spinning cottons in the United States. This strong lint brings a premium on the market. Uniform staple of about 1½ inches. Certified seed will be offered, either delinted or in the lint. The delinted seed is favored since it will germinate 5 to 7 days sooner and the delinting will reduce the lint borne diseases. Begin planting on April 10th with 15 to 20 lbs. of delinted seed or 32 lbs. lint seed per acre. Not safe to plant after May 20th.

Empire—Popular due to its ability to resist angular leaf spot and to mature early. It has produced 2 to 3 bales per acre. The lint is shorter and weaker than Acala.

GRASSES

Alta Fescue—In the Pecos Valley, this has supplanted Meadow Fescue. It is more productive and more resistant to alkali and drouth, although somewhat coarse. Palatable and will supply pasture the year around. Excellent in mixtures for permanent irrigated pastures.

Crested Wheat—Standard—A drouth resistant, long lived grass for hay or pasture. Better adapted to the high altitudes. Plant in the fall on a firm bed, not over ½ inch deep, using 10 lbs. seed per acre.

Johnson—A perennial that is classed as noxious in many States and constantly fought by Southern farmers but is valuable to the semi-arid sections that have land which is subject to periodical overflow where it will provide good pasture and hay. Responds to cultivation.

Orchard—A hardy, rather coarse grass that is good for hay or pasture. Deep rooted, grows in tufts. Most valuable in mixtures for permanent irrigated pastures.

Perennial Ryegrass—Often used in lawns, see page 16. Plants form a dense turf, are very nutritious and palatable in the pasture. Very valuable in the permanent irrigated pasture.

Sudan—A fast growing annual which produces an abundance of summer pasture or hay. Will make ensilage. Requires irrigation in the Pecos Valley. The rainfall of Eastern New Mexico and Western Texas is sufficient for this crop during most seasons. Plant after danger of frost, using 5-12 lbs. in rows or 20-50 lbs. broadcast.

Sweet Sudan—Developed from Leoti Red Sorghum and Common Sudan. Sweet Sudan has broader leaves, larger stems, taller growth, stools more and is much sweeter than Common Sudan.

GRASSES (Continued)

Roswell Mixture—This mixture, for permanent, irrigated pasture in the Pecos Valley has become our choice after several years of observation. It has been outstanding and has created much enthusiasm during the past eleven years. Requires good soil and frequent irrigations. Fall planting preferred with 16 lbs. per acre.

MILLETS

Big German—The small stems and narrow leaves make quick summer hay or pasture. Long tight heads produce an abundance of grain. Sow broadcast for hay using 20-25 lbs., usually produces 4-5 tons per acre in about 60 days. Drill in rows for seed using 5-10 lbs., will produce 2000-3000 lbs. threshed grain per acre in about 70 days. Requires warm weather, will produce satisfactory crop on moderate soil.

Proso or Hog Millet—The quickest maturing catch crop. Will mature in 45-50 days. Low growing spangled heads. Grain is larger than Big German. Excellent feed for poultry and hogs. Has made two crops of grain in one season when planted by June 1st.

OATS

Texas Red Rust Proof—For years this has been a standard in the Pecos Valley where it is still a good producer. Not recommended for planting at altitudes above 5500 ft. Treated seeds are offered from stock.

New Nortex—A high yielder of excellent grain. Rust resistant and shatter proof. Winter hardy. Developed from Texas Red, well adapted to the Pecos Valley.

PEAS

Blackeyed—Classed as cowpeas but excellent for table use as a green snap or dry shelled. Pods will become 7 inches long and reach snap stage in about 45 days or mature dry peas in 60 days. The tall, strong, prolific plants make good forage crop and they are soil builders. We will offer the California No. 5 Wilt Resistant.

Brown (Sugar) Crowder—Grown and used very much the same as Blackeyed Peas, stronger flavored. Plants are about 28 inches high. Pods are 7 inches long, crowded with 10-12 odd shaped peas.

Cream Crowder—Quite similar to Brown Crowder in use and growth. Seeds are medium smooth, cream color with buff eye.

POP CORN

Giant Yellow Mushroom—Yields well in the Southwest and has been our most popular variety for a number of years. When popped, it has a distinct flavor, no husks or hard centers and is cream colored. Very large yellow kernels.

RYE

Balboa—Stools and grows well in cold weather to form a heavy turf which makes it one of the best for fall and winter pastures. This crop can be produced on poor soil with little moisture and is often turned under for soil building.

SORGHUM GRAINS

Atlas Sorgo—Developed in Kansas by crossing blackhull kaffir and sourless sorgo. An excellent ensilage crop, and generally considered to be that only. Tall, stout, leafy, sweet stalks, resists lodging and becomes ten feet tall if given room.

Cane, Red Top or Sumac—A well known standard for its high yield of good quality bundle feed or hay. Often turned under while green to enrich the soil. Will endure considerable alkali. Sweet stalks become 6-8 ft. high when drilled in rows.

SORGHUM GRAINS (Continued)

Cane, Honey Drip—The most popular for syrup and it will make a heavy yield of high grade ensilage. The heavy, juicy, sweet leafy stalks are free stooling and will reach a height of 12 ft. Matures in 135 days, plant 5-10 lbs. seed per acre.

Caprock Milo—The late maturing selection from the cross of double dwarf kaffir and dwarf milo. Heavy yielder, grows 30-40 inches tall and matures in about 110 days. The grain has high feed value, preferred by many feeders. The plants are resistant to Pythium rot and stand erect. Plantings of 8 lbs. per acre in 36 in. rows have produced 5000 lbs. of grain per acre.

Hegari, Double Dwarf Combine—Good exsertion on uniform stalks that are well braced for combine harvesting. A heavy producer that matures a few days ahead of regular hegari. The stalks are highly palatable, they will stool, therefore, 3 lbs. seed per acre is sufficient.

Hegari, Haas Strain—We offer Registered, Certified and non-certified seed of this strain. All processing has been done by ourselves and these seeds have been treated with Orthocide 75 in slurry. This is our best all purpose feed crop. The grain rates high among feeds and sells readily. The sweet stalks will stool and make our best bundle feed, also used for green or dry ensilage. The grain is often threshed and the stalks pastured. One of the most drouth resisting crops. Matures in 114 days. Plant 8 lbs. per acre in three foot rows any time after danger of frost but late plantings (about July 1st) will grow and produce better. A valuable crop to follow barley or oats in the double cropping program.

Early Hegari—Identical with Hegari, except: it matures about 15 days earlier, has fewer leaves and produces much less grain. Planted only when Hegari does not have time to mature and grain is desired.

Plainsman Milo—The early maturing sister of Caprock Milo. Grows about 30 in. tall and matures in about 105 days. This crop is not as uniform as some others but it holds the record for high yields in the Roswell area. The grain is red, medium soft and of high feed value. This crop matures early enough to afford double cropping on irrigated lands. Erect plants combine well and are resistant to Pythium rot. Our most popular combine milo.

Texas Hybrid No. 610—This will mature about the same as Martin Milo and has shown a good increase in yield. The grain is light red, large and medium soft. The stalk is combine height, the head is semi-dry. The exsertion of the head above the flag leaf is good.

WHEAT

Thatcher—A hard red, beardless spring wheat that is resistant to stem rust. It is adapted to irrigated conditions, a heavy producer of good milling grain.

Wichita—The good quality of the grain and the high yielding ability has placed this wheat among the leaders. It is a bearded, red winter wheat.

RODENT CONTROLS

Gopher-Scent—A specially prepared poisoned grain that is scented to attract: mice, gophers, ground squirrels and prairie squirrels. 7 oz. box 45c; 12 oz. box 60c; 5 lb. box \$2.25.

Rat-B-Gon Rat & Mice Bait—Contains Warfarin. Rats and mice do not avoid bait once it begins to work, but continue to feed upon the bait until they die. One of the safest to use. No mixing required. 1 lb. box \$1.39.

Cyanogas—A very effective killer of all rodents. See page 23.

SPRAYERS

John Bean—Power Sprayers. These rugged, dependable, high pressure sprayers are available in various sizes. Ask for the illustrated catalog and prices.

Hahn Hi-Boy—The self-propelled, high-clearance crop sprayer. Offered in three sizes. The most popular size has: 26.8 h. p. engine, 150 gal. tank, will straddle plants that are six feet tall and spray 8 - 40 inch rows at a through. It will spray at $2\frac{1}{2}$, 5 or 9 miles per hour and has a road speed of 18 miles per hour. Ask for literature and prices.

Ortho Spray-Ette 2—Requires no pumping or mixing. It operates on 35 to 175 lbs. of pressure from your garden hose and will automatically meter and mix 10 ounces of semi-concentrate to give you two gallons of finished spray. \$3.49.

Ortho Spray-Ette 4—Operates the same as the above except, it will deliver four gallons of finished spray and has on-off control valve. \$6.45.

Ortho Spray-Ette Queen Size—This is the same as Spray-ette 4 except it will deliver six gallons of finished spray. \$9.95.

Hudson Perfection—4 gallon compressed air sprayer. Galvanized steel tank with welded seams, tested for 100 lbs. pressure. The Simplex Inner-seal cover provides large opening that seals with ¼ turn of handle and gives a positive seal from the inside with the first two pounds of pressure. Handles all insecticides, effective with white wash. Equipped with 42 in. oil proof hose, 24 in. brass extension tube, adjustable nozzle and solid brass trigger valve. \$20.79.

Hudson Climax— $3\frac{1}{2}$ gallon open top tank, constructed the same as the Perfection. The pump is $1\frac{1}{2}$ inches shorter. Equipped with 27 in. oil and chemical proof hose, 24 in. extension tube and adjustable nozzle. \$18.33.

Hudson Favorite—A 2 gallon compressed air sprayer with Saf.T-Lok funnel type opening. Ten inch pump. Equipped with 5 ft. plastic spray hose. Nozzle adjusts from fine mist to a stream. The home-owner's ideal sprayer. \$12.50.

Hudson Bugwiser — A 3 gal. compressed air sprayer with Saf-T-Lok funnel type opening, galvanized tank with welded seams. Seamless brass pump is 1¾ by 10 inches. Equipped with 20 in. oil resistant hose, 18 in. brass extension tube and adjustable nozzle. \$10.47.

Hudson Leader—A $3\frac{1}{2}$ gal. compressed air sprayer with funnel top. Galvanized tank with welded seams. 14 by $1\frac{3}{4}$ in. seamless brass pump. Equipped with 27 in. spray proof hose, 24 in. extension tube and adjustable nozzle. \$14.07.

Hudson Winner 136—A $3\frac{1}{2}$ gal. compressed air sprayer, galvanized tank, cam-lock opening and zinc-grip steel pump. \$9.72.

Hudson Winner 116—The same as the above except the capacity of the tank is $1\frac{1}{2}$ gallons and the pump is six inches long. \$8.32.

Hudson Trombone—These double-action pumps with 72 in. hose will deliver continuous spray through adjustable nozzle. Offered in two sizes: No. 123-B developes 180 lbs. pressure and throws 30 to 40 ft. solid stream or a fine mist, \$9.95; the No. 219-B develops 150 lbs. pressure and throws a 25 to 30 ft. stream or a fine mist, \$7.95. Pressure is developed by push and pull action from any container.

SMALL HAND SPRAYERS AND DUSTERS ARE CARRIED IN STOCK.

A STOCK OF REPAIR PARTS IS CARRIED FOR: BEAN, HAHN AND HUDSON SPRAYERS.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

ORTHO INSECTICIDES AND FUNGICIDES

Bug-Beta Pellets—Metaldehyde-Arsenical bait designed to kill slugs, snails, and cutworms. Broadcast 10 to 12 pellets per sq. yd. 12 oz. box 59c; 2 lbs. \$1.19.

Orthocide Garden Fungicide—Contains Captan to control: Black Spot, Powdery mildew, seed rot, damp-off and Brown Patch. 8 oz. canister \$1.39; 1 lb. \$2.19.

Ortho-Klor 10 Chlordane Dust—Use as a dust or mix with water and spray to control grubs, ants, roaches, sowbugs, lawn moths and cutworms. 1 lb. 69c; 5 lbs. \$1.98.

Ortho Lawn-Garden Dieldrin Granules—Easily broadcast on the lawn to control: sowbugs, crickets, armyworm, cutworms, lawn moth larvae and wireworms. 15 oz. can \$1.19; 3 lb. can \$2.69.

Ortho Rose Dust—Contains: Captan, Lindane, DDT, Ferbam and Sulphur. A multipurpose Rose and flower dust or wettable powder. It will control a wide range of insects and diseases. 8 oz. duster (container is a blower) \$1.19; 1 lb. refill \$1.39.

Ortho Tomato Vegetable Dust—A multi-purpose garden dust that controls the more common insects and diseases on most all vegetables. 10 oz. Plastic Squeeze Duster \$1.39; 1 lb. refill \$1.39.

Ortho Dog Powder—Contains: Malathion, Methoxychlor and Captan. Kills resistant fleas, lice, ticks and prevents Ringworm attacking dogs, cats and other animals. 3 oz. plastic duster 89c.

Ortho Home and Garden Insect Bomb—Easy to use, multi-purpose control for crawling and flying insects in both the home and the garden. 14 oz. Aerosol \$1.59.

Ortho Leaf Polish Bomb—Easy to use, effective leaf polish for all plants with hard surfaced leaves. No rubbing required, allows plants to breathe and grow normally. 5 oz. Aerosol 89c.

Isotox Garden Spray—Provides residual killing power on a large number of hard to control insects. It kills three ways: by contact, stomach poisoning and vapor action. 4 oz. will make up to 12 gals. diluted spray. 4 oz. bottle \$1.19; 8 oz. bottle \$1.98; Pint \$2.98; Quart \$5.49; ½ gal. \$9.98; 5 gal. drum \$39.98.

Ortho Dieldrin Spray—A powerful concentrate to control: ants, Japanese beetles; grass-hoppers, lawn moths, chinch bugs, armyworms, sowbugs, thrips and many other insects. 8 oz. bottle \$1.39; Pint \$2.19; Quart \$3.79.

Ortho-Klor 44 Chlordane Spray—An outstanding control for: ants, lawn moth, cutworms, sowbugs, chinch bugs, thrips, grubs and many other garden pests. It has long residual killing power. 4 oz. bottle 79c; 8 oz. \$1.19; Pint \$1.98; Qt. \$2.98.

Ortho Malathion 50 Spray—Controls: red spider, aphids, mealybugs, scale, flies, plus certain other pests. 4 oz. bottle \$1.19; 8 oz. \$1.89; Pint \$2.89; Qt. \$4.39.

Orthorix Spray—As a dormant spray, it will control many types of scale, over-wintering insect eggs and fungi. Also, used in weaker form as summer spray. Pint \$1.19 will make 48 gals. summer spray, about 10 gals. dormant spray.

Volck Oil Spray—A highly refined oil spray for use against: mealybugs, scale, red spiders and white flies. 4 oz. bottle 39c; Pint 79c.

Ortho Garden Book-40 pages of help for the gardener. 15c per copy.

INSECTICIDES AND FUNGICIDES

Arsenate of Lead—Widely recommended for the control for most chewing insects. The common mixture is one pound in 25 gals. water. 4 lb. bag \$1.65; 48 lbs. \$17.76.

Benzene Hexachloride, 10% Gamma Isomer (Wettable)—1¼ lbs. in 100 gals. of water provides a very effective control for aphids. 2½ lbs. in 100 gals. gives excellent control

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

of lice and ticks on livestock, use 5 lbs. in 100 gals. to control mange and scab. 5 lb. bag \$2.15; 50 lb. bag \$16.25.

Chlordane 40% (Wettable)—An excellent control for grasshoppers, ants, crickets, roaches, fleas, lice, ticks and a wide variety of insects attacking crops. For general purpose, use $2\frac{1}{2}$ lbs. in 100 gals. of water or 2 teaspoonsful in 1 gal. 1 lb. 75c; 100 lbs. \$61.50.

Cyanogas (A Dust)—The dust form for outdoor use, an efficient control for all rodents. Gives off a deadly gas but is safe to use and gives a quicker kill when applied through a pump. 4 oz. can 50c; 1 lb. can \$1.25; 5 lb. can \$4.25.

DDT 50% (Wettable)—One to two pounds of this powder in 100 gals. of water provides a valuable control for coddling moth. Recommended to control a wide range of insects in crops, buildings and on livestock, 4 lbs. \$1.60; 48 lbs. \$15.56.

DN-111—This is recommended for summer control of the common red spiders and mites in fruit trees. A wettable powder, compatible with DDT and Arsenate of Lead. Use $1\frac{1}{4}$ lbs. in 100 gals. water. $1\frac{1}{4}$ lb. bag 75c; 30 lb. carton \$15.30.

Karathane—Especially effective for control of powdery mildew diseases and certain mites on apples, pears, cantaloupes, cucumbers, squash, roses, ornamentals and shrubs. May be used in combination with most sprays except oils or sulphur. Dosage varies from 4 oz. to 1 lb. per 100 gals. of water. 3 lb. box \$5.40.

Kelthane—Gives fast initial kill and residual activity against red spider and two-spotted mites in both adult and nymph stage. Does not destroy insect predators, less toxic than DDT to warm blooded animals. Use $1\frac{1}{2}$ to 2 lbs. in 100 gallons of water. 4 lb. bag \$6.80; 48 lb. case \$72.00.

Lindane 25% (Wettable)—One pound of this powder, mixed in 100 gallons of water gives excellent control on aphids and many other insects on vegetables, flowers and shrubs, also, controls ticks and lice on livestock, use $1\frac{1}{2}$ lbs. for mange and scab. 1 lb. \$2.05; 4 lb. bag \$7.60.

Malathion 50%—A liquid that controls European red spider, many other mites, white flies, aphids, soft brown scale and mealy bugs by using 5 oz. in 30 gals. of water. One quart in 100 gallons of water provides control for spotted alfalfa aphid and is safe to apply up to 7 days before harvest.

1038 Screw Worm Bomb—Special liquid formulation for control of screw worms and spinose ear ticks on livestock, fleece worms on sheep and goats. 15 oz. aerosol \$1.79.

Sulphur (Kolospray)—Contains 81.25% powdered sulphur. Use 5 to 8 lbs. in 100 gal. of spray to control fungi on fruit trees.

Triton B-1956—A wetting spreading and sticking agent, also, an oil emulsifier that will increase the value of any crop or livestock spray. It spreads spray material in an even inconspicuous film. Use 2-4 oz. in 100 gals. Gallon \$9.15.

GRAIN FUMIGANT

Serafume—A deadly liquid that may be poured over the grain surface, it will penetrate the grain and kill the pests without injury to feed or seed when used according to directions. 1 gallon can \$4.16; 5 gallon drum \$19.50.

CHEMICALS—(Horticultural)

Tomato Fix—This hormone when sprayed upon the blossom, will give earlier maturity and better pollenization. Tests show 20 to 30% increase in some crops and tomatoes will be almost seedless. 8 oz. bottle with applicator \$1.00.

Ree-Root No. 1 and No. 2—These are Multi-Hormone Vitamin treatment for rapid rooting of cuttings. No. 1 is for sensitive cuttings. No. 2 is for hard woody plants. 4 oz. bottle No. 1 \$1.00. 3 oz. bottle No. 2 \$1.00.

SEED DISINFECTANTS and LEGUME INOCULANTS

Arasan 75—A high strength thiram seed disinfectant and protectant for corn, sorghum, peanuts, vegetables, grasses and legumes. For dry application only. Use $\frac{1}{4}$ to 1 teaspoonful per pound of vegetable seeds depending upon the kind. Use $5\frac{1}{6}$ ounces per hundred pounds of grass and legume seeds. 1 oz. pkt. 50e; 8 oz. \$1.50.

Ceresan M—Provides a control for most smuts and seed borne diseases in wheat, oats, barley, rye, sorghums and millets. Usually reduces angular leaf-spot of cotton, seed decay and seedling damping-off of cotton, peas, and sugar beets. Use $\frac{1}{2}$ oz. per bushel of grain or 2 oz. per 100 lbs. of delinted cotton seed. This product may also be used in slurry. 14 oz. can \$1.60; 3 lb. can \$4.45.

Orthocide 75—Contains 75% Captan. May be used as a dry treatment or in slurry on vegetable or field seeds to prevent seed rot and damp-off diseases on germinating seeds and seedlings and to control kernel smut in sorghums. $4\frac{1}{2}$ oz. jar \$1.19; 1 lb. can \$2.60.

WE OPERATE A PANOGEN TREATER AND A CALKIN SLURRY TREATER TO GIVE SEEDS THE MOST UNIFORM APPLICATION OF DISINFECTANTS. LET US TREAT THE SEEDS YOU BUY OR THE SEEDS YOU GROW.

Nitragin—The original legume inoculant, it is the oldest and the most widely used in the world. Apply this bacteria to seeds of legumes to restore and maintain soil fertility. The AB culture, to be used on alfalfa and clover, two bushel size \$1.10. The Garden Nitragin is to be used on garden peas, sweet peas, beans, lima beans and soy beans, the 15c package will inoculate up to 8 lbs. seeds.

BRUSH KILLER

Bramble-Weedicide—This contains 2, 4-D Pentyl Esters and 2, 4, 5-T Pentyl Esters. Dilute with oil to kill: brush, trees and stumps. 8 oz. bottle \$1.00; pint bottle \$1.50; quart bottle \$2.50; gallon can \$6.25; 5 gal. drum \$30.50.

WEED KILLERS

Improved Weed-B-Gon—Contains 2, 4-D and 2, 4, 5-T low volatile esters that will control broad leaf weeds without injury to lawn. Also kills brush. No vapor or volatilization. One pint will cover 4800 sq. ft. lawn. 8 oz. can \$1.19; pint can \$1.69; quart can \$2.98; gallon can \$6.98.

Weed A Bomb—The 2, 4-D and 2, 4, 5-T in a 11 oz. aerosol, ready to spray with the quickest flick of the trigger. Will give 1600 applications when properly used, enough to spot and kill weeds on a good sized lawn for an entire season \$1.50.

Weedicide (Concentrate)—An Amine Salt containing 4 pounds 2, 4-D Acid equivalent per gallon. ½ to 1 pint in sufficient water to cover one acre will control broadleaf weeds in corn or sorghums. 1 gal. can \$4.15; 5 gal. drum \$19.50.

General Weed Killer—A dinitro-type contact killer that controls annual weeds and grasses and kills top growth of perennial weeds and grasses. Use 2 to 3 pints with 3 to 30 gallons of oil, make up to 100 gallons with water and spray to wet all the vegetation. A spray of one quart in 15 gallons of oil per acre will allow direct combining of alfalfa seed crops. 1 gallon bottle \$12.30.

Dowpon—Provides the best control for Johnson, Bermuda, Quack and other grasses. Control can be obtained on most established Johnson Grass with 50 lbs. per acre in 50 to 150 gallons of water, sprayed to wet the foliage. Lesser amounts are needed on seedlings or if regrowth occurs. 1 lb. can \$2.33; 5 lb. can \$6.95; 50 lbs. \$57.50.

Amino Triazole—A control for many hard to kill pest, such as: nut grass, Russian Knapweed, cattails and poison ivy. An average application is 8 lbs. in 50 gal. of water on one acre. 1 lb. can \$3.50; 4 lb. can \$10.00; 24 lb. pail \$54.00.

Triox—Use one part of this arsenical weed killer in ten quarts of water to kill vegetation and poison the soil for 1 to 2 years. Quart \$1.19.

SEED SOWERS (Hand Broadcast)

Cyclone—A favorite for over 80 years. Accurately distributes all smooth grass and grain seeds, also, granular fertilizers by a crank operated, whirling pan. Half bushel capacity, carried on a shoulder strap. \$4.95 each.

The Horn—Accurate and dependable for sowing smooth grass seeds. Has a canvas bag and metal horn in three sections with a seed gauge. Bag capacity is one peck. The seed is spread by a casting motion of the horn. \$1.80 each.

GARDEN TOOLS

Bolen's Garden Tractors—Offered in eight different sizes from 2 h. p. to 8 h. p. The two largest sizes are riding type. Available attachments include: plows, harrows, cultivators, seeders, sickles, mowers, sprayers, utility carts and saws. The Rotary Tillers are offered in four sizes. Let us send in full information on these well balanced, easily operated tools that simplify gardening.

Planet Jr. No. 300-A Seeder—The most accurate garden drill, plants through holes in plates that give 39 adjustments. The single unit is an easily operated hand tool. They are often drawn by a tractor in multiples of two, three or four. Ask for price.

Planet Jr. No. 4 Seeder and Cultivator—The choice of the home gardener since it will drill or plant in hills, then convert into a wheel hoe or cultivator. It will enable you to produce more on the same ground and vastly reduce the effort. Complete with one pair 6 inch hoes, three steel cultivator teeth, one landslide garden plow. Or, seeder only is offered as PLANET JR. No. 4-D. Ask for prices.

Planet Jr. No. 17 Single Wheel Hoe—The most popular garden cultivator, equipped with one pair 6 in. hoes, three cultivator teeth and one plow. The No. 18 is the same tool except the equipment consists only of 1 pr. 6 in. hoes. Ask for prices.

HOTKAPS

These patented plant covers will protect plants from: frosts, storms and insects and force their growth to allow the crop to mature two to three weeks earlier. Furthermore, the fruits and vegetables will be larger. Crop increases of 18% to 51% have been proven by experiment and over 30 years of use. One hundred \$3.90; One thousand \$19.75; Steel Setter \$1.95; Fibreboard Setter 20c.

ACTIVO

A compost activator, concentrated. It supplies an abundance of the living dynamic agencies—micro-organisms, biotic factors, enzymes, vitamins and hormones — which are vital to soil health and vigorous plant growth. The \$1.29 package inoculates up to 3 tons house and garden waste with billions of decomposing agencies. Raw compost is quickly changed into rich soil-building humus.

BEEKEEPER'S SUPPLIES

In this line, we maintain our policy and offer: the highest in quality at competitive prices. Our wooden-ware and foundation is manufactured by Dadant & Sons. Ask for catalog. We are always cash buyers for your beeswax.

FLOWER SEEDS IN BULK

Castor Beans (Ricinus), Mixed. oz. 20c; 4 oz. 60c; 1 lb. \$1.80. Four O'clock, All colors mixed. ½ oz. 20c; oz. 35c; 4 oz. \$1.10; lb. \$3.30. Larkspur, Giant Imperial Mixed Double. ½ oz. 50c; oz. 85c; 4 oz. \$2.50. Morning Glory, Crimson Rambler. ½ oz. 45c; oz. 80c; 4 oz. \$2.35. **Morning Glory,** Heavenly Blue. ½ oz. 50c; oz. 90c; 4 oz. \$2.70. Morning Glory, Major Finest Mixed. ½ oz. 35c; oz. 60c; 4 oz. \$1.70. Nasturtium, Golden Gleam Semi-Double Hybrid. ½ oz. 25c; oz. 45c; 4 oz. \$1.35; lb. \$4.00. Nasturtium, Scarlet Gleam Semi-double. Extra large blooms. oz. 45c; lb. \$4.00. Nasturtium. Glorious Gleam Semi-double

Hybrid. Mixed colors. oz. 45c; lb. \$4.00.

Nasturtium, Dwarf Gem. Good border plant. ½ oz. 30c; oz. 50c; 4 oz. \$1.50. Poppy, Large Pink Shaggy (Annual). ½ oz. 40c; oz. 70c; 4 oz. \$2.00. Snapdragon, Rust Resistant, Mixed. ½ oz. \$1.50; oz. \$2.80. Sweet Peas, Spencer Mixed, Early flowering. oz. 65c; 4 oz. \$1.85; lb. \$5.50. Sweet Peas, Cuthbertson Mixed. The variety that withstands the most warm weather. oz. 35c; 4 oz. \$1.10; lb. \$3.20. Zinnia, Gold Medal Dahlia Flowered Finest mixed. Colors are grown separately. Especially adapted to the Southwest. oz. \$1.00; 4 oz. \$3.30; lb. \$9.90. Zinnia, California Giant, Mixed colors. Old fashioned flat bloom. oz. \$1.00. Zinnia, Lilliput, Mixed Colors. Very double, about 18 inches high. oz. \$1.20. Zinnia, Tom Thumb, Mixed, oz. \$1.50.

FLOWER SEEDS IN PACKETS

There is a large assortment in our stock of flower seeds in packets. We will gladly obtain any rare variety or type that cannot be found in our regular stock. To make this line most complete, it is composed of seeds from the following reliable merchants: Ferry-Morse Seed Co., Mandeville & King Co., Northrup, King & Co., Germain's.

PEAT MOSS

Premier Peat Moss—This sphagnum peat moss, a natural humus, is 97% organic vegetable matter. It opens up the soil, admitting vital air and moisture, and acts as a reservoir for the plant food. This soil conditioner prevents crusting and is especially valuable when used in the stiff soils of our Southwest. It will absorb as much as 20 times its weight in moisture and feeds it back to the roots as they can use it. 6 cu. ft. bale \$5.95; 4 cu. ft. bale \$4.95; 1½ cu. ft. bale \$2.95; Garden Pak \$1.60; Plant Pak 95c.

PEAT HUMUS

Premier X-Pediter—Nature's compost for building lawns and flower beds. 100 lb. bag \$4.90; 50 lbs. \$2.90; 25 lbs. \$1.75; $2\frac{1}{2}$ lbs. 75c.

VERMICULITE

An excellent soil conditioner. It retains moisture and releases it as the plant needs it. It is sterile, clean and light in weight. It does not deteriorate, it contains nothing to rot or turn moldy. Provides an excellent bulb storage. 1 lb. 25c; 12½ lb. bag \$2.00.

16-20-0 MATHIESON AMMO-PHOS FERTILIZER

Proven to be the outstanding fertilizer for lawns in our locality, extensively used on vegetables, cotton, grain, irrigated pasture, trees and shrubbery. 16-20-0 is guaranteed to contain 16 per cent nitrogen and 20 per cent available phosphoric acid, all of it completely soluble in water. This grade contains about 14% sulphur. Offered in any amount.

OTHER COMMERCIAL FERTILIZERS

Sulphate of Ammonia, Ammonium Nitrate, Urea, Superphosphate, Aluminum Sulphate, Bone Meal, Iron Sulphate, Iron Chelate and others are handled during the season for application. Please ask for prices.

ORTHO-GRO (Liquid Plant Food)

Contains organic fish in a balanced fertilizer. Fast and all-available to the roots and foliage, giving quick plant response, 10.5-5 formulation. A clear liquid, odor is masked for pleasant use. Use one pint in dilution to three hundred square feet of lawn, ½ teaspoonful in quart of water for house plants. 4 oz. bottle 39c; pint bottle \$1.00; quart bottle \$1.69; gallon jug \$4.98; 5 gal. drum \$20.00.

PLANTABBS

Plant food in tablet form, containing 11% nitrogen, 15% phosphate, 20% potash plus vitamin B-1. Press the tablets into the soil or dissolve them in water for application to the plant. 20 tablets 19c; 90 tablets 59c; 200 tablets \$1.00; 1000 tablets \$3.50.

FEED

The El Rancho Milling Company manufacturers the feeds that are carried in stock; This line includes: Starter, Grower, Broiler and Laying Crumbles, Laying Pellets, Rabbit Pellets, Scratch Grain and Hog Feed. Ask for prices.

POULTRY FEEDERS AND FOUNTAINS

The HUDSON Equipment, for over half a century, has been gaining a reputation for dependability; developed through using the best material and workmanship plus correct designing to assure best results from the product. We offer the complete line which includes all sizes and types of metal feeders and fountains. Items in connection include: Leg bands, nest eggs and glass substitutes for enclosing the poultry house.

POULTRY AND LIVESTOCK REMEDIES

The complete lines of the following Companies are offered:

THE GEO. H. LEE CO. Ask for the latest copy of "Leeway Farm Bulletin."

Dr. L. D. LeGEAR MEDICINE CO. Ask for "Dr. LeGear's Poultry Guide" and "Dr. LeGear's Livestock Manual."

Dr. SALSBURY LABORATORIES. Ask for "Dr. Salsbury's Poultry Health Messenger."

Dr. LeGear's Dog Prescriptions contain the most effective ingredients known to modern veterinary science. Ask for: "Dr. LeGear's Dog Book."

The above mentioned literature carries valuable information for anyone who is interested in livestock, poultry or dogs. These will be sent to you without charge or obligation.

LIVESTOCK SPRAY

ORTHO KLEEN STOCK SPRAY—Use as a space spray, a residual spray or spray direct onto beef cattle, horses, mules, sheep, goats and logs to control: ticks, horn flies, stable flies and lice. Each treatment protects for several weeks. One pint makes up to 25 gallons of diluted spray. 1 gallon \$7.29; 5 gal. drum \$28.98.

FLY KILLER

Ortho Fly Killer Dry Bait—Easy to use: nothing to prepare or mix, simply scatter thinly direct from container to ground. Will control flies around dairy barns, feed lots, stables, animal hospitals, dog kennels, open-air theatres, patios. One pound will cover 2000 square feet of fly feeding area. One pound can 98c; 5 lb. bag \$2.19; 25 lb. drum \$8.98.

What to Plant and When to Plant It

APPLIED TO THE PECOS VALLEY OF NEW MEXICO

JANUARY—A good time to plan the planting and to place a seed order. Prepare plant beds for early cauliflower, cabbage, egg plant, lettuce, onions, peppers and tomatoes.

FEBRUARY—Early this month plant carrots, early peas, rhubarb, asparagus, parsnip, onion seed and sets. Begin planting oats and barley in the last part of the month.

MARCH—Plant peas, onions, lettuce, radishes, mustard, leek, parsley, spinach, parsnips, salsify, stock beets, corn, oats and barley. Early tomatoes, pepper and egg plant may be sown in hot beds.

APRIL—The seventh of this month is the average date for the last killing frost. Plant celery, turnips and okra. To have a succession, plant more peas, corn, lettuce, radishes, beets and carrots. Begin planting cotton April 10th. This is the best month to make spring plantings of alfalfa and irrigated pasture grasses. Late in this month, tomatoes may be planted in the open. Some will now risk a planting of tomato, pepper and sweet potato plants.

MAY—It is now safe to plant the main crop of: melons, squash, cucumbers, beans, pumpkin, and set out: tomato, pepper and sweet potato plants. Plant blackeyed peas, field peas, peanuts, leaf lettuce, more radishes, mustard and corn. Sow seed for late cabbage in beds. In the field plant: milo, corn, atlas sorgo and kaffir. Acala cotton should not be planted later than the last of the month.

JUNE—Make the last planting of cantaloupes, watermelons, winter squash and pumpkins. Plant late cabbage in hills in the field. Roasting ears, bush beans, blackeyed peas, cucumbers, summer squash all do well when planted now. Late this month, in the field, plant Mexican June Corn, Mexican Pinto beans, hegari and milo.

JULY—Plan the fall garden which often returns more than earlier plantings. Set out celery and cabbage plants. Plant pole and corn field beans, cucumbers for pickling. Sow turnips and rutabagas for fall and winter use. The last planting of corn, cane, hegari, kaffir and milo should be made early this month. Millet can mature when planted late this month.

AUGUST—Early this month, finish setting celery plants, sow more turnips, beans and pickling cucumbers. Plant early cabbage for fall and winter use. The last planting of carrots for fall use should be made about the middle of this month. At this same time, begin planting: rye, winter barley, wheat, oats and pasture grasses.

SEPTEMBER—Plant: beets, kale, lettuce, mustard, spinach, Chinese cabbage and bunching onions. Sow onion seed about the 25th for spring transplanting. This is the best month to plant: alfalfa, ryegrasses, crested wheat grass, Kentucky Blue grass lawns and pasture grass mixtures.

OCTOBER—The thirtieth of this month is the average date for the first killing frost. Plant mustard, lettuce and spinach for early spring, also winter radishes and onion sets. Winter barley, rye and wheat may be planted for spring pasture and grain crops.

NOVEMBER—Complete the harvest and prepare for winter.

DECEMBER-Foot up the profits and send to us for next season's catalog.

THIS IS THE 56TH ANNUAL ISSUE OF THE

ROSWELL SEED COMPANY

ESTABLISHED 1900

115-117 South Main Phone MAin 2-7701 P. O. Box 725

Roswell, New Mexico

OWNED AND OPERATED BY

VERDI GILL

IVAN GILL

W. L. GILL

Table of Valuable Information

Vegetable	Amount requ per 100 feet		Inches apart in the row	Inches between the rows	Depth to plant (inches)	Average germination 1 year old seed—%
Asparagus	1 oz.	5 lbs.	3	18-24	1	90
Beans, Dwarf	1 lb.	60 lbs.	2	18-24	1	90
Beans, Pole	½ lb.	30 lbs.	12-15	36	1	90
Beets, Garden	1 oz.	6 lbs.	2	12-18	1	80
Beets, Mangel	1 oz.	5 lbs.	4	20-36	1	80
Brussels Sprouts	1/4 oz.	8 oz.	12-16	24-30	1/2	85
Cabbage	1/4 OZ.	8 oz.	12-18	24-30	1/2	85
Cantaloupe	½ oz.	1 lb.	48	72	1	85
Carrot	½ oz.	2 lbs.	2	12-18	1/2	75
Cauliflower	1/4 oz.	8 oz.	14-18	24-30	1/2	75
Celery	1/4 oz.	4 oz.	2	18-36	1/8	80
Collards	1/4 OZ.	8 oz.	12-18	24-30	1/2 1	88
Corn, Sweet Cucumbers	1/4 lb. 1/2 oz.	5 lbs. 2 lbs.	24	36	1	85
			36	72	1	85
Egg Plant	⅓ oz.	8 oz.	18	24-30	1/2	75
Endive	1 oz.	4 lbs.	12	18	1/2	80
Kale	1/4 oz.	2 lbs.	18	18-24	1/2	85
Kohlrabi	⅓ oz.	3 lbs.	6	18-24	1/2	85
Leek	½ oz.	3 lbs.	4	14-20	1/2	80
Lettuce	½ oz.	2 lbs.	6	12-18	1/2	90
Melon, Musk	½ oz.	1 lb.	48	72	1	85
Melon, Water	1 oz.	2 lbs.	72	96	î	85
Mustard	1/4 oz.	2 lbs.	2-3	12-18	1/4	85
Okra	2 oz.	8 lbs.	15	36	1	85
Onions	1 oz.	3 lbs.	1-2	12-18	1/2	85
Parslev	1/4 OZ.	2 lbs.	3	18	1/8	70
Parsnips	½ oz.	3 lbs.	3 3	18	1/2	75
Peas	1 lb.	60 lbs.	$\tilde{2}$	$\overline{24}$	″î	90
Pepper	1/8 oz.	8 oz.	24	36	1/2	75
Pumpkin	1 oz.	3 lbs.	60	96	'ĩ	90
Radish	1 oz.	10 lbs.	1	12-18	1/2	90
Salsify	1 oz.	5 lbs.	$\bar{2}$	18-24	1/2	75
Spinach	1 oz.	8 lbs.	$\frac{2}{2}$	12-18	1	75 80
Squash, Summer	1 oz.	2 lbs.	48	36	i	90
Squash, Winter	½ oz.	ī lb.	60	72	i	90
l'omato	1/8 oz.	8 oz.	48	48	1/2	85
Furnip	½ oz.	1 lb.	2	18-24	72 1/4	90

Field Seeds

Alfalfa	lbs. per acre 20	Hegari	lbs. per acre
Barley, winter	70	Maize	8
Barley, spring		Millet, drilled	20-25
Beans, Pinto			100
Clover, Sweet	15	Peas	30-60
Corn	5-8	Rye	60
Corn, Pop	8	Ryegrass	20
Cotton, delinted	12	Sudan Grass, drilled	4-20
Cotton, lint	32	Sudan Grass, broadcast	35
Johnson Grass	20	Wheat	60-90

This information has been compiled from 57 years of experience in handling seeds. It will not apply in all cases due to variation in location and condition. However, we believe our figures are a fair average.

RETURN TO
RETURN TO
115-117 South Main Street
Roswell, New Mexico

RETURN POSTAGE GUARANTEED



Bulk Rate

P A I D

ROSWELL, N. M.

Permit No. 1

RECETTED
* JAN291958 *

U. S. Department of Agriculture

U. S. DEPARTMENT OF AGRICULTURE
LIBRARY
WASHINGTON 25, D. C.
OFFICIAL BUSINESS
PRINTE MATTER
DIVISION

PENALTY FOR PRIVATE USE TO AVOID

U. S. DEPT. OF AGRICULTURE GOON 25, D. C.